

Outsider 575



**DEFINING
EXCELLENCE**

It's a family boat, it's a family fishing boat. Who says you cannot have it all in one boat. For some people the Australian dream is brick and mortar, for others it is built of fibreglass – Cruise Craft fibreglass that is.

The overnights...

The open water adventure...

The leave-them-all-behind-I-want-to-be-alone cruiser.

The Outsider 575.


Whatever you have been looking for out there, the 575 is designed to make your search in comfort and class.

With ample storage and an open cockpit layout, you and your family have plenty of room to manoeuvre. The hull's soft ride helps ensure passengers safety and comfort.

At Cruise Craft, we incorporate all kinds of unique features into our



Genuine Factory Options & Features



Integrated boarding platform with ladder, access door and access hatch for storage.



Integrated dash for engine monitoring system, communications and electronics.



Anchor locker incorporating bow sprit, access hatch incorporating seat, sturdy stainless steel bow rail.



Foldaway Rear Lounge with backrest, tank with hatch for live bait, optional deluxe bait preparation board.



Optional Electric Anchor Winch.



Large cabin with side windows for light, provision for chemical toilet and storage shelves.



boats to make life out on the water easier and more comfortable. Don't take our word for it. Step up and take a look around the cockpit, bow and transom and see for yourself how different we are from our competitors.

Over the past 50 years and three generations, Nichols Bros has been building your dream.

Outsider 575 –
capable of being
a serious fishing
platform or
doubling as a
family pleasure
machine.

SKIPPERS
love it...



OUTSIDER 575

SPECIFICATIONS

Length	5.712m
Length with Bow Spirit	6.097m
Beam	2.37m
Maximum H.P.	150hp
Fuel Capacity	160 litres
Deadrise Transom	20 degrees
Height Overall on Trailer at Screen approx.	2.3m
Height Overall on Trailer with Targa approx.	3.2m
Length Overall on Trailer	7.3m
Weight BMT (130hp) approx. as shown complete with Safety Equipment and 100 litres of Fuel on Redco Tandem Trailer	1.72 tonnes
Transom Height	25" extra long



STANDARD FITTINGS

Stainless Steel Cross Bollard	Recessed Cockpit Hand Rails	Roller Fairlead
Armour Glass Windscreen	Rear Boarding Ladder	Navigation Lights
Cabin Windows	Two (2) Stern Eyes	Aft Bait Well
Two (2) Rod Holders	Bow Eye	Integrated Boarding Platform
Anchor Locker	Drain Plugs	Compass
Nylon Cutting Board	Forward Access Hatch	Bilge Pump
Water Proof Switch Panel	Stainless Steel Bow Rail	

COCKPIT FITTINGS

Moulded Side Pockets	Rear Padded Coaming & Lounge	Raised Battery & Oil Pads
Recessed Control Panel	Carpet	Recessed EPIRB Box
Adjustable Helm Seat	Under Floor Storage	Recessed Fire Extinguisher Box
Non Feedback Mechanical Steering	Fuel Tank with Deck Fill & Sender	

CABIN FITTINGS

Upholstered Bunks	Padded Back Rests	Storage Shelves
Under Bunk Storage		

OPTIONS

Windscreen Grab Rail	Deluxe Inferno Seats	Cabin Light
Padded Side Coamings	Passenger Seat Slide	Lowrance Sounders
Cabin Lining	27 Meg Radio & Aerial	Portable Toilet
Bait Cutting Board Standard	Deck Wash with Pump	Cockpit Lighting
Bait Cutting Board Deluxe	Live Bait Tank Plumbing	Humminbird Sounders
Bulkhead Privacy Curtain	Extra Rod Holders	Hydraulic Steering
Targa Rocket Launcher	Storm Cover	Factory Pre-Rigging
Targa Mounted Lights	Sliding Extension	Centre Bunk Cushion
Targa Rocket Launcher with Bimini Canopy Front & Side Covers	Live Bait Tank Plumbing and Deck Wash	Horizon Anchor Winch, Rope, Chain and Anchor

Please Note: Photographs and text may refer to non-standard specifications and fittings. The manufacturer reserves the right to change specifications and fittings without notice.



Craftsmanship since 1946

Manufactured by

Nichols Bros. Pty. Ltd.

ABN 91 224 893 169

1308 Lytton Road, Hemmant, Queensland 4174

P.O. Box 301, Wynnum, Queensland 4178

Phone: (07) 3390 4877 • Fax: (07) 3390 5756

E-mail: info@cruisecraft.com.au

Website: www.cruisecraft.com.au

Your authorised Cruise Craft Dealer