

EX568 ST

POWERED BY



YAMAHA

PERFORMANCE BULLETIN



F130



F150



TEST PERFORMANCE SUMMARY

RPM	Ave km/h	Ave L/h	Ave km/L	Ave km/h	Ave L/h	Ave km/L	Ave km/h	Ave L/h	Ave km/L
1000	6.40	1.75	3.66	6.45	2.25	2.87	6.90	3.30	2.09
1500	8.70	3.25	2.68	8.70	3.70	2.35	9.25	5.05	1.83
2000	11.05	5.10	2.17	10.85	5.10	2.13	11.40	8.40	1.36
2500	12.65	8.10	1.56	12.30	8.15	1.51	12.85	12.25	1.05
3000	15.85	10.60	1.50	14.70	12.90	1.14	20.60	16.25	1.27
3500	29.80	13.35	2.23	29.30	14.20	2.06	36.25	17.25	2.07
4000	38.90	17.20	2.26	38.35	17.50	2.19	44.65	22.50	1.98
4500	45.85	20.90	2.19	45.10	19.85	2.27	52.25	28.90	1.81
5000	52.55	25.95	2.03	51.85	26.35	1.97	59.40	36.50	1.63
5500	58.15	32.55	1.79	59.10	34.95	1.69	66.30	47.05	1.41
6000	63.50	40.00	1.59	64.70	41.80	1.55	73.40	60.35	1.22
6300				68.30	47.25	1.45			

F115	F130	F150
MAX AVERAGE SPEED		
63.80 km/h	68.30 km/h	73.4 km/h
BEST CRUISING KM/L		
2.26 km/L	2.27 km/L	2.07 km/L
RANGE, BASED ON 95% FUEL CAPACITY AT BEST KM/L		
343.5 km	345 km	314.6 km
0 - 40 KM/H		
6.86 Seconds	8.20 Seconds	5.36 Seconds

Data may vary due to changes in weather, tides, boat load, hull & propeller conditions, temperature, atmospheric pressure and wind direction. Fuel data gathered with a non-calibrated Yamaha fuel gauge.

Speed data recorded with GPS receiver.

Yamaha Motor Australia accepts no responsibility for the accuracy of these readings.

All test data is recorded with the engine fully trimmed in (-4), until 5500 RPM, where possible.

*Range is calculated on the largest tank possible for the particular model.